

SF-60



Code: SF-60

**P.V.C. SPRING WIRE
SUCTION HOSE**

Text Size:



APPLICATIONS: Food and Beverage Dispensing Coolant, Non-Toxic formulation conforming to FDA requirements.

CONSTRUCTION: One Spring Wire, Clear PVC Wall

TEMP. RANGE: 20°F to 150° F. When Temperature is -15°C and Colder, please DO NOT Handle or Transport Hoses.

CAUTION: For liability purposes, if temperature exceeds 110°F the working pressure will go down. Please check with factory to ensure sufficient safety factor.

I.D	O.D.	MAX. W.P. at 70°F psi	LENGTH	APPROX. Wt.
1/4"	1/2"	210 psi	100 ft	9 lbs.
3/8"	5/8"	180 psi	100 ft	12 lbs
1/2"	13/16"	150 psi	100 ft	21 lbs
5/8"	1"	100 psi	100 ft	32 lbs
3/4"	1-1/8"	100 psi	100 ft	36 lbs
1"	1-3/8"	84 psi	100 ft	47 lbs
1-1/4"	1-3/4"	84 psi	50 ft	39 lbs
1-1/2"	2"	84 psi	50 ft	43 lbs
2"	2-1/2"	70 psi	50 ft	56 lbs

